



# 128-MD2+B2-B MELODY MODULE 音乐盒模组

## 128-MD2 BIRD VOICE MODULE/SPEAKER 单首鸟叫音乐盒



## B2-B CUCKOO MECHANISM (With Door)



### FUNCTIONS:

Bird goes forth and chirps on the hour, then goes back.

Volume switch

Night silent from 22:00 to 5:00

### SPECIFICATIONS:

Operation Voltage : 2.5V~3.2V


Current Consumption : Less Than 100mA At 3V DC (Voice Playing/Goes Forth and Back).

Battery Life : Approx. 8 Monthes (2pcs UM-3)


Operating Temperature Range : -10°C~60°C

# 128-MD2+B2-C MELODY MODULE 音乐盒模组

## 128-MD2 BIRD VOICE MODULE/SPEAKER 单首鸟叫音乐盒



## B2-C CUCKOO MECHANISM



### FUNCTIONS:


- Bird goes forth and chirps on the hour, then goes back.
- Volume switch
- Night silent from 22:00 to 5:00

### SPECIFICATIONS:


- Operation Voltage : 2.5V~3.2V
- Current Consumption : Less Than 100mA At 3V DC (Voice Playing/Goes Forth and Back).
- Battery Life : Approx. 8 Monthes (2pcs UM-3)
- Operating Temperature Range : -10°C~60°C

# 128-MD2+B2-D MELODY MODULE 音乐盒模组

## 128-MD2 BIRD VOICE MODULE/SPEAKER 单首鸟叫音乐盒



## B2-D CUCKOO MECHANISM (For Bigger Bird)



### FUNCTIONS:

Bird goes forth and chirps on the hour, then goes back.

Volume switch

Night silent from 22:00 to 5:00

### SPECIFICATIONS:

Operation Voltage : 2.5V~3.2V


Current Consumption : Less Than 100mA At 3V DC (Voice Playing/Goes Forth and Back).

Battery Life : Approx. 8 Monthes (2pcs UM-3)


Operating Temperature Range : -10°C~60°C

# 128-MD2+B2-F MELODY MODULE 音乐盒模组

128-MD2 BIRD VOICE MODULE/SPEAKER 单首鸟叫音乐盒



## B2-F MINI CUCKOO MECHANISM



### FUNCTIONS:

Bird goes forth and chirps on the hour, then goes back.

Volume switch

Night silent from 22:00 to 5:00

### SPECIFICATIONS:

Operation Voltage : 2.5V~3.2V

Current Consumption : Less Than 100mA At 3V DC (Voice Playing/Goes Forth and Back).

Battery Life : Approx. 8 Monthes (2pcs UM-3)

Operating Temperature Range : -10°C~60°C